

Tecfi S.p.A. - Fixing Systems

ead Office:

S.S. Appia km.193 - 81050 Pastorano (CE) - Italia tel. (+39).0823.88.33.38 - fax (+39).0823.88.32.60 www.tecfi.it info@tecfi.it

SAFETY DATA SHEET

According to Annex II to REACH - Regulation 2015/830

VXV01

One component, methoxy silane-based, adhesive for generic industrial applications.

Revision n. 02 Dated 26/03/2021 Printed on 26/03/2021

Page n. 1 / 7

Replaced revision: - (Dated: -)



1 - Identification of the substance/mixture and of the company/undertaking

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use One component, methoxy silane-based, adhesive for generic industrial applications.

1.3. Details of the supplier of the safety data sheet

Name Tecfi S.p.A.

Full Address S.S.Appia km 193

District and Country 81050 Pastorano (CE) - Italia - tel. 0823 88 3338 - fax 0823 - 883260

e-mail

(of the competent person responsible for the Safety Data Sheet)

1.4. Emergency telephone number

Osp. NIGUARDA CA' GRANDA – Milano 02/66101029
CAV Policlinico "A. Gemelli" - Roma 06/3054343
Osp. "A. Cardarelli" - Napoli 081/7472870

rdc@tecfi.it

2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication: -

2.2. Label elements

Hazard pictograms:

Signal words:

Hazard statements:

EUH208 Contains: N-[3-(TRIMETHOXYSILYL)PROPYL]ETHYLENEDIAMINE.

May produce an allergic reaction.

Precautionary statements:

2.3. Other hazards.

Information not available.



Tecfi S.p.A. - Fixing Systems

ead Office:

S.S. Appia km.193 - 81050 Pastorano (CE) - Italia tel. (+39).0823.88.33.38 - fax (+39).0823.88.32.60 www.tecfi.it info@tecfi.it

SAFETY DATA SHEET

According to Annex II to REACH - Regulation 2015/830

VXV01

One component, methoxy silane-based, adhesive for generic industrial applications.

Revision n. 02 Dated 26/03/2021 Printed on 26/03/2021

Page n. 2 / 7

Replaced revision: - (Dated: -)



3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions set forth in Directives 67/548/EEC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

4. First aid measures

4.1. Description of first aid measures.

EYES: remove immediately with a clean cloth or paper and wash affected area with soap and water.

SKIN: take off contaminated clothing. Wash immediately with plenty of water. If irritation persists, consult a doctor. Wash contaminated clothing before reuse.

INHALATION: In case of feeling unwell remove patient to fresh air and seek medical attention if breathing difficulty succeeding. INGESTION: eject the product and rinse mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

Prolonged contact may cause allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

Consult a doctor if symptoms are severe or in the case of persistent irritation of the skin.

5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).



0 9001

Tecfi S.p.A. - Fixing Systems

Head Office:

S.S. Appia km.193 - 81050 Pastorano (CE) - Italia tel. (+39).0823.88.33.38 - fax (+39).0823.88.32.60 www.tecfi.it info@tecfi.it

SAFETY DATA SHEET

According to Annex II to REACH - Regulation 2015/830

VXV01

One component, methoxy silane-based, adhesive for generic industrial applications.

Revision n. 02 Dated 26/03/2021 Printed on 26/03/2021

Page n. 3 / 7

Replaced revision: - (Dated: -)



6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13

7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Information not available.

8.2. Exposure controls

HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure.



Tecfi S.p.A. - Fixing Systems

Head Office:

S.S. Appia km.193 - 81050 Pastorano (CE) - Italia tel. (+39).0823.88.33.38 - fax (+39).0823.88.32.60 www.tecfi.it info@tecfi.it

SAFETY DATA SHEET

According to Annex II to REACH - Regulation 2015/830

VXV01

One component, methoxy silane-based, adhesive for generic industrial applications.

Revision n. 02 Dated 26/03/2021 Printed on 26/03/2021

Page n. 4 / 7

Replaced revision: - (Dated: -)



9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	paste	Lower explosive limit.	Not available
Colour	various	Upper explosive limit.	Not available
Odour	characteristic	Vapour pressure	Not available
Odour threshold	Not available	Vapour density	Not available
рН	Not available	Relative density	1,64 Kg/l
Melting point / freezing point	Not available	Solubility	insoluble in water
Initial boiling point	Not available	Partition coefficient: n-octanol/water	Not available
Boiling range	Not available	Auto-ignition temperature	250°C
Flash point	250°C	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	150000 - 250000 cps
Flammability (solid, gas)	Not available	Explosive properties	Not available
Lower inflammability limit.	Not available	Oxidising properties	Not available
Upper inflammability limit.	Not available		

9.2. Other information

VOC (Directive 1999/13/EC)	0
VOC (volatile carbon)	0

10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use

10.2. Chemical stability

The product is stable in normal conditions of use and storage

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available



0 9001

Tecfi S.p.A. - Fixing Systems

Head Office:

S.S. Appia km.193 - 81050 Pastorano (CE) - Italia tel. (+39).0823.88.33.38 - fax (+39).0823.88.32.60 www.tecfi.it info@tecfi.it

SAFETY DATA SHEET

According to Annex II to REACH - Regulation 2015/830

VXV01

One component, methoxy silane-based, adhesive for generic industrial applications.

Revision n. 02 Dated 26/03/2021 Printed on 26/03/2021

Page n. 5 / 7

Replaced revision: - (Dated: -)



11. Toxicological information

11.1. Information on toxicological effects

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity

Information not available

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.



60 9001 60 14001

Tecfi S.p.A. - Fixing Systems

ead Office:

S.S. Appia km.193 - 81050 Pastorano (CE) - Italia tel. (+39).0823.88.33.38 - fax (+39).0823.88.32.60 www.tecfi.it info@tecfi.it

SAFETY DATA SHEET

According to Annex II to REACH - Regulation 2015/830

VXV01

One component, methoxy silane-based, adhesive for generic industrial applications.

Revision n. 02 Dated 26/03/2021 Printed on 26/03/2021

Page n. 6 / 7

Replaced revision: - (Dated: -)



15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category.

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

None

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:

None

<u>Substances subject to the Rotterdam Convention:</u>

None

<u>Substances subject to the Stockholm Convention:</u>

None

Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

16. Other information

LEGENDA:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.



Tecfi S.p.A. - Fixing Systems

lead Office

S.S. Appia km.193 - 81050 Pastorano (CE) - Italia tel. (+39).0823.88.33.38 - fax (+39).0823.88.32.60 www.tecfi.it info@tecfi.it

SAFETY DATA SHEET

According to Annex II to REACH - Regulation 2015/830

VXV01

One component, methoxy silane-based, adhesive for generic industrial applications.

Revision n. 02 Dated 26/03/2021 Printed on 26/03/2021

Page n. 7 / 7

Replaced revision: - (Dated: -)



GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. The Merck Index. 10th Edition
- 9. Handling Chemical Safety
- 10. Niosh Registry of Toxic Effects of Chemical Substances
- 11. INRS Fiche Toxicologique (toxicological sheet)
- 12. Patty Industrial Hygiene and Toxicology
- 13. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 14. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.